

Page 1/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Chlorine Tablets

· CAS Number:

87-90-1

· EC number:

201-782-8

· Index number:

613-031-00-5

- · Registration number 01-2120767978-27-XXXX
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Disinfectant
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Processes involving the use of incompatible substances - refer to section 10.

Processes involving extreme heat use advised against.

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

The product is intended exclusively for industrial and professional use.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

GL52 7RS

UK

Tel: +44 (0)1242 662700 (office hours) email: sales@cpc-chemicals.co.uk

- $\cdot \ \textbf{Further information obtainable from:} \ \textbf{Product safety department.}$
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.

(Contd. on page 2)



Page 2/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 1)



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS03, GHS07, GHS09
- · Signal word Danger
- · Hazard-determining components of labelling:

symclosene

· Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from clothing and other combustible materials. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH031 Contact with acids liberates toxic gas.

- \cdot 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

GB



Page 3/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

87-90-1 symclosene

· Identification number(s) · EC number: 201-782-8 · Index number: 613-031-00-5

· Dangerous components:

CAS: 10043-35-3 boric acid 0.1 – < 0.3% EINECS: 233-139-2 & Repr. 1B. H360FD: (1) Acute Tox. 4, H332

·SVHC

10043-35-3 boric acid

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- \cdot Suitable extinguishing agents:

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)



Page 4/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 3)

· For safety reasons unsuitable extinguishing agents:

Foam

ABC powder

Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Risk of explosion on heating.

Many reactions may cause fire or explosion.

Strong oxidiser. Contact with combustible or flammable substances may cause fire.

In case of fire, the following can be released:

Chlorine compounds

Chlorine gas

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Boron compounds

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Do not use combustible materials such as paper towels to clean up spills.

Wash the area with plenty of water.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Page 5/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 4)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Rinse contaminated clothing with plenty of water (Fire hazard)

Ensure good ventilation/exhaustion at the workplace.

Do not mix with acids.

· Information about fire - and explosion protection:

Dust can combine with air to form an explosive mixture.

Substance/product can reduce the ignition temperature of flammable substances.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Do not store in aluminium or galvanised containers.

Prevent any seepage into the ground.

Do not store on combustible materials such as wooden floors or wooden pallets.

· Information about storage in one common storage facility:

Store away from flammable substances.

Do not store together with textiles.

Store away from reducing agents.

Do not store together with acids.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 5.1 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.

· DNELs	· DNELs				
87-90-1 sy	87-90-1 symclosene				
Oral	DNEL Long-term systemic effects	1.14 mg/kg bw/day (general population)			
Dermal	DNEL Long-term systemic effects	1.14 mg/kg bw/day (general population)			
		2.28 mg/kg bw/day (worker)			
Inhalative	DNEL Long-term systemic effects	1.98 mg/m³ (general population)			
		8.04 mg/m³ (worker)			
10043-35-	10043-35-3 boric acid				
Oral	DNEL Long-term systemic effects	980 μg/kg bw/day (general population)			
	DNEL Short-term systemic effects	980 μg/kg bw/day (general population)			
Dermal	DNEL Long-term systemic effects	196 mg/kg bw/day (general population)			
		392 mg/kg bw/day (worker)			

(Contd. on page 6)



Page 6/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

	(Contd. of page 5)				
Inhalative DNEL Long-term systemic ef	fects 4.15 mg/m³ (general population)				
	8.3 mg/m³ (worker)				
· PNECs	· PNECs				
87-90-1 symclosene	87-90-1 symclosene				
PNEC Freshwater	0.17 – 12,100 μg/L				
PNEC Freshwater - Intermittent releases	$1.7 - 6,550 \mu\text{g/L}$				
PNEC Marine water	1.52 mg/L				
PNEC Sewage Treatment Plant	590 – 204,100 μg/L				
PNEC Sediment (freshwater)	7.56 mg/kg				
PNEC Sediment (marine water)	756 μg/kg				
PNEC Soil	756 μg/kg				
10043-35-3 boric acid					
PNEC Freshwater	2.9 mg/L				
PNEC Freshwater - Intermittent releases	13.7 mg/L				
PNEC Marine water	2.9 mg/L				
PNEC Sewage Treatment Plant	10 mg/L				
PNEC Soil	5.7 mg/kg				

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

A safe system of work must be formulated and followed to ensure safe working with this product. Relevant workers must receive suitable and sufficient training and supervision.

Do not breathe dust

Contaminated clothes are a fire hazard. Rinse with plenty of water.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

(Contd. on page 7)



Page 7/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 6)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Break-through time: >480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Protective work clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

· Limitation and supervision of exposure into the environment

Do not allow to enter drains, sewers or watercourses.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemi General Information Appearance: 	ical properties
Form:	Tablets
Colour:	White
· Odour:	Like chlorine
· Odour threshold:	Not determined.
\cdot pH-value (10 g/l) at 20 °C:	2.7 - 3
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	225 – 240 °C Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Product is not flammable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.

(Contd. on page 8)



Page 8/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

	(Contd. of page 7
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	~ 2.5 g/cm ³
· Relative density	Not determined.
Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water at 25 °C:	12 g/l
· Partition coefficient: n-octanol/water	er at 20 °C: -1.31 log POW
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· 9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: Risk of explosion on heating.
- · 10.3 Possibility of hazardous reactions

Reacts with acids releasing chlorine.

Risk of explosion on contact with combustible substances or incompatible substances.

Decomposes slowly on contact with water.

- · 10.4 Conditions to avoid Do not mix with other chemical formulations in their concentrated form.
- \cdot 10.5 Incompatible materials:

Combustible materials.

Organic solvents.

Strong acids.

Reducing agents

Amines.

Ammonia

Hypochlorous acid and Hypochlorites

· 10.6 Hazardous decomposition products:

Chlorine

Chlorine compounds

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Cyanates

(Contd. on page 9)



Page 9/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 8)

Boron compounds

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 407.18 mg/kg (rat)

87-90-1 symclosene

Oral LD50 406 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- $\cdot \ Serious \ eye \ damage/irritation$

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:

ROUTES OF EXPOSURE: Can be absorbed into the body by inhalation and by ingestion.

INHALATION RISK: A harmful concentration of airborne particles can be reached quickly especially if powdered.

Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

· Acute effects (acute toxicity, irritation and corrosivity)

EFFECTS OF SHORT-TERM EXPOSURE: The substance irritates the eyes, the skin and the respiratory tract. Corrosive on ingestion.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 10)



Page 10/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 9)

- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· European waste catalogue

Waste key numbers in accordance with the European Waste catalogue (EWC) are origin-referred defined. Since this product is used in several industries, no waste key can be provided by the supplier. The waste key number should be determined in arrangement with your waste disposal partner or the responsible authority.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Do not mix with other waste streams.

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

• **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GE



Page 11/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 10)

14.1 UN-Number ADR/RID/ADN, IMDG, IATA	UN2468
14.2 UN proper shipping name ADR/RID/ADN	UN2468 TRICHLOROISOCYANURIC ACID, DR mixture, ENVIRONMENTALLY HAZARDOUS
IMDG	TRICHLOROISOCYANURIC ACID, DRY mixtur MARINE POLLUTANT
IATA	TRICHLOROISOCYANURIC ACID, DRY mixture
14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG	
55.5	
Class	5.1 Oxidising substances.
Label IATA	5.1
Class Label	5.1 Oxidising substances.5.1
	J.1
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR/RID/ADN):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Oxidising substances.
Hazard identification number (Kemler code): EMS Number:	50 F-A,S-Q
Stowage Category	A
Handling Code	H1 Keep as dry as reasonably practicable
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	1 kg

(Contd. on page 12)



Page 12/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

	(Contd. of page 11)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 2468 TRICHLOROISOCYANURIC ACID, DRY MIXTURE, 5.1, II, ENVIRONMENTALLY

HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category

P8

E1

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 13)



Page 13/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 12)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to UK REACH

10043-35-3 boric acid

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H332 Harmful if inhaled.

H360FD May damage fertility. May damage the unborn child.

· Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

I C50: Lethal concentration 50 percent

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

(Contd. on page 14)



Page 14/14

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Chlorine Tablets

(Contd. of page 13)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 \cdot * **Data compared to the previous version altered.**